

How to Check the Setup of Thunderbird

Open Thunderbird eMail program

Inbox - Mozilla Thunderbird	
<u>File E</u> dit <u>V</u> iew <u>G</u> o <u>M</u> essage	<u>T</u> ools <u>H</u> elp
Get Mail 🔹 📝 Write 📗 .	Address <u>B</u> ook Ctrl+Shift+B <u>A</u> dd-ons Activity Manager
All Folders Seasurf.n Seas	Message <u>F</u> ilters <u>R</u> un Filters on Folder R <u>u</u> n Filters on Message
	Run Junk Mail <u>C</u> ontrols on Folder <u>D</u> elete Mail Marked as Junk in Folder
	I <u>m</u> port <u>E</u> rror Console
	Account <u>Settings</u>
	Uptions

Choose <u>T</u>ools , Account <u>S</u>ettings...

Server Settings	Server Settings
Copies & Folders Composition & Addressing Junk Settings Disk Space Return Receipts Security ⁴ Local Folders Junk Settings Disk Space Outgoing Server (SMTP)	Server Type: POP Mail Server Server Name: mail.seasurf.net Port: 110 ♀ Default: 110 User Name: seasurfnewuser Security Settings Security Settings Security Settings Connection security: None ▼ Use secure authentication Server Settings ✓ Check for new messages at startup ✓ Check for new messages every 10 ♀ minutes ✓ Automatically download new messages Fetch headers only □ Leave messages on server ✓ For at most 14 days ✓ Until I gelete them Empty Trash on Exit Advanced Local directory: C:\Users\Brent S Smithline\AppData\Roaming\Thunderbird\P Browse
1	

Next click "Server Setting" along the left side, and uncheck if checked "Leave messages on server"

Now click "Outgoing Server (SMTP)" along the left side



Now click "Edit" on the right hand side

Jettings			
Description:			
erver Name:	mail.seasurf.net		
Port:	587	Default: 25	
🔲 Use se	cure aut	hent <u>i</u> cation	
Connection se	cunty,	110110	

Now click "Use name and password" and enter your "User Name", and click OK

©2000-2010 Seasurf Internet a division of Internet Partners, Inc.

1800 NW 167th Place Suite 160 Beaverton, Oregon 97006-8132 Phone Seaside +1 800 445 0193



Phone Beaverton +1 503 690 2700 FAX +1 503 690 9700